I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: October 27, 2006 Signature:

(Arnold H. Krumholz)

Docket No.: CELLTH 3.0-003 CONT CONT II (PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re Letters Patent of: Warrell et al.

Patent No.: 6,861,076

Issued: March 1, 2005

For: PROCESS FOR PRODUCING ARSENIC TRIOXIDE FORMULATIONS AND

METHODS FOR TREATING . . .

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450 Certificate

NOV 0 2 2006

of Correction

#### SECOND REQUEST FOR SUPERSEDE OF CERTIFICATE OF CORRECTION

Dear Sir:

On July 25, 2006, we filed a Request for Supersede of Certificate - of Correction in connection with the above-captioned matter. Please note that neither of the corrections were included in the Certificate of Correction issued on October 10, 2006. Specifically, Column 14, line 14, "in vivo" should read --in vitro-and line 39, "in vitro" should read --in vivo--. We have enclosed a copy of our originally submitted Certificate of Correction as well as the sealed version we recently received. In addition, we have highlighted the errors.

Accordingly, please make the noted correction and forward a supersede Certificate of Correction as soon as possible.

October 27, 2006 Dated:

Respectfully submitted,

By Arnold H. Krumholz Registration No.: 25,428 LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP 600 South Avenue West Westfield, New Jersey 07090 (908) 654-5000

Attorney for Applicant

704978\_1.DOC

# UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,861,076 B2

Page 1 of 3

**APPLICATION NO.: 10/758994** 

DATED

: March 1, 2005

INVENTOR(S)

: Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3,

Line 3, "chinese" should read -- Chinese --;

Line 17, "in vitro" should read - in vitro -;

Line 50, "above" should read -- above, --;

Column 4,

Line 42, "Arsobale" should read -- Arsobale --;

Line 63, "cell-s" should read -- cells --;

Column 6.

Line 62, "oesophagus" should read -- esophagus --;

Column 7.

Lines 10-11, "in vitro can readily be achieved in vivo." should read -- in vitro can readily be achieved in vivo. --;

Line 20, "is" should read -- are --;

Line 36, "(PLXF-RARa)" should read - (PLXF-RARa) --;

Line 45, "are" should read -- is --;

Column 8,

Line 66, "sterilized" should read - sterilized, --;

Column 9.

Line 56, "is" should be deleted;

Column 12,

Line 19, "formulation" should read -- formulations --;

Line 67, "in vitro" should read -- in vitro --;

Line 14, "in vitro" should be - in vivo -;

Column 14.

Lines 3, 38 and 39, "in vivo" should read - in vitro -;

See ATTAChed

Line 14 "in vitro" chould be in vivo

Line 39 Should NOT Be 413 & 34 - Thep Are different connections

## UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,861,076 B2

Page 2 of 3

**APPLICATION NO. : 10/758994** 

DATED

: March 1, 2005

**INVENTOR(S)** 

: Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 15,

Line 13, "This data indicates" should read -- These data indicate --;

Line 46-47, "in vitro" should read - in vitro, -;

Line 50, "ex vivo" should read - ex vivo -;

Line 54, "in vivo" should read -- in vivo --;

Line 65, "is" should read - are -;

#### Column 16.

Line 67, "in situ" should read - in situ -;

#### Column 17.

Line 13, "in situ" should read -- in situ --;

Line 20, "board" should read -- board. --;

## Column 18,

Line 6, "in situ" should read - in situ -;

## Column 20,

Lines 13 and 16-17, "in situ" should read -- in situ --;

Line 29, "in vivo" should read -- in vivo --;

#### Column 21,

Line 4, "in situ" should read -- in situ --;

Line 28, "in vitro" should read - in vitro -:

Line 29, "10-4" should read  $-10^{-4}$ -;

Line 67, "\" should read -- † --;

## Column 22,

Line 10, "in vitro" should read - in vitro --;

Line 32, "the" should be deleted;

Line 66, "in situ" should read - in situ --;

#### Column 23,

Line 5, "in vivo" should read -- in vivo --;

## UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,861,076 B2

Page 3 of 3

**APPLICATION NO. : 10/758994** 

DATED

: March 1, 2005

**INVENTOR(S)** 

: Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 24,

Lines 14, 17, 20, 43, 47 and 49, "are" should read - is -.

This certificate supersedes Certificate of Correction issued September 13, 2005.

Signed and Sealed this

Tenth Day of October, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office



Docket No.: CELLTH 3.0-003 CONT CONT II (PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of: Warrell et al.

Patent No.: 6,861,076

Issued: March 1, 2005

FOR: PROCESS FOR PRODUCING ARSENIC TRIOXIDE FORMULATIONS AND METHODS FOR TREATING CANCER USING ARSENIC TRIOXIDE OR MELASOPROL

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

# REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:

Enclosed herewith is an original and one copy of a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

Application No.: 10/758,994

Docket No.: CELLTH 3.0-003 CONT CONT I

We look forward to early return of the copy of the Certificate of Correction duly certified.

Dated: May 3, 2005

Respectfully submitted,

Shawn P. Foley
Registration No.: 33,071
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000

Attorney for Applicant

562234\_1.DOC

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page \_1\_ of \_2

PATENT NO.

6,861,076

APPLICATION NO.

10/758,994

ISSUE DATE

March 1, 2005

INVENTOR(S)

Raymond P. Warrell, Jr., Pier Paolo Pandolfi, and Janice L. Gabrilove

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 3, "chinese" should read -- Chinese--;

Column 3, line 17, "in vitro" should read --in vitro--;

Column 3, line 50, "above" should read --above,--;

Column 4, line 42, "Arsobale" should read -- Arsobale®--;

Column 5, line 63, "cell-s" should read --cells--;

Column 6, line 62, "oesophagus" should read --esophagus--;

Column 7, lines 10-11, "in vitro can readily be achieved in vivo."

should read --in vitro can readily be achieved in vivo.--;

Column 7, line 20, "is" should read --are--;

Column 7, line 36, "(PLXF-RARa)" should read --(PLXF-RARa)--;

Column 7, line 45, "are" should read --is--;

Column 8, line 66, "sterilized" should read --sterilized,--;

Column 9, line 56, "is" should be deleted;

Column 12, line 19, "formulation" should read --formulations--;

Column 12, line 67, "in vitro" should read --in vitro--;

Column 14, line 3, "in vitro" should read -in vitro-;

Column 14, line 14, "in vitro" should read -in vitro-;

Column 14, line 38, "in vitro" should read -in vitro-;

Column 14, line 39, "in vivo" should read --in vivo--;

Column 15, line 13, "This data indicates" should read -These data

indicate--;

Column 15, lines 46-47, "in vitro," should read --in vitro,--;

Column 15, line 50, "ex vivo" should read --ex vivo--;

Column 15, line 54, "in vivo" should read --in vivo--;

Column 15, line 65, "is" should read --are-;

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

```
Column 16, line 67, "in situ" should read --in situ--;
Column 17, line 13, "in situ" should read --in situ-;
Column 17, line 20, "board" should read --board.--;
Column 18, line 6, "in situ" should read --in situ--;
Column 20, line 13, "in situ" should read --in situ-;
Column 20, lines 16-17, "in situ" should read --in situ--;
Column 20, line 29, "in vivo" should read --in vivo--;
Column 21, line 4, "in situ" should read --in situ--;
Column 21, line 28, "in vitro" should read --in vitro--;
Column 21, line 29, "10-4" should read --10<sup>-4</sup>--;
Column 21, line 67, "\"should read -- t--;
Column 22, line 10, "in vitro" should read --in vitro--;
Column 22, line 32, "the" should be deleted;
Column 22, line 66, "in situ" should read --in situ-:
Column 23, line 5, "in vivo" should read --in vivo--;
Column 24, line 14, "are" should read --is--;
Column 24, line 17, "are" should read --is-;
Column 24, line 20, "are" should read --is--;
Column 24, line 43, "are" should read --is-;
Column 24, line 47, "are" should read --is-; and
Column 24, line 49, "are" should read --is-;
```